

# SACRA 1 DALI/ON-OFF

SACRA 1 DALI/ON-OFF

## Datasheet

Sacra series luminaires deliver stunning performances from an extremely compact body. Perfectly meeting the demanding needs of the most creative architectural lighting spaces, these flexible and versatile luminaires are available in a variety of optical configurations and body finishes.

They offer effective lighting performances in various architectural structures with LED color options. They provide control feasibility with the built-in DALI driver option.

### Options

CCT

2700K, 3000K  
4000K, 5000K  
6500K

### Control

ON/OFF  
DALI



# General Specifications

SACRA 1 DALI/ON-OFF

With its aluminum extrusion body and tempered glass, it is designed to operate smoothly for many years under harsh environmental conditions.

It has universal operating voltage of 110/220VAC.

Control feasibility with the built-in DALI driver option.

CCT options from 2700K to 6500K.

It provides visual harmony to architectural structures with its body color options.

It allows versatile use with its compact structure and high efficiency LEDs.

It is compatible with various architectural structures with its wide lens options.



# Technical Specifications

SACRA 1 DALI/ON-OFF

## General

Control	DALI or ON-OFF
Color Depth	256

## Physical

Size	3 11/32" x 3 11/32"
Body	Aluminum Extrusion
Connections	IP67 Connector
Working Temperature	-13 °F ~ 122°F
Protection Class	IP67

\* Product lengths may vary. For details, see the technical drawing section.

## Optical

Luminous Flux	(*) 2160lm, 4320lm, 6480lm, 8640lm
Beam Angle	10°, 25°, 45°, 60°, 10°x35°, 10°x60°

\* Lumen values are given for WOX1, WOX2, WOX3, and WOX4, respectively.

## Electrical

Power	(*) 18W, 36W, 54W, 72W
Operating Voltage	110/220VAC


\* Power values are given for WOX1, WOX2, WOX3 and WOX4 and when all leds are on at full power, respectively.

**Effective solution for historical building  
lighting with shades of white color**


# Technical Drawing

SACRA 1 DALI/ON-OFF


Sacra 1




Sacra 2




Sacra 3




Sacra 4



## Options



With antiglare



Without antiglare

All dimensions are in inches

# Accessories

SACRA 1 DALI/ON-OFF

## Connection Accessories



Extension cable



Input cable

## Mounting Accessories



Mounting bracket



Socket Pliers



M4 Allen Key

# Connection Diagram

SACRA 1 DALI/ON-OFF

